

CLAIMS

What is claimed is:

1. A method of backing up a file, comprising:
 - (a) making a change to an original version of a file thereby creating a new version of the file;
 - (b) saving said new version;
 - (c) computing a transformation operator which is indicative of the differences between the original version of the file and the new version; and
 - (d) saving said transformation operator.
2. The method of claim 1 wherein (d) includes saving said transformation operator in a separate file.
3. The method of claim 2 wherein said separate file containing said transformation operator is stored on a storage medium that also contains said new file version.
4. The method of claim 3 wherein said storage medium comprises a RAID storage subsystem.
5. The method of claim 1 wherein said transformation operator includes a difference value, said difference value being the difference between a numerical value in the original file version and a numerical value in the new file version.

1 11. The method of claim 10 wherein said transformation operator is stored in a separate file.

1 12. The method of claim 11 wherein said separate file containing said transformation operator
2 is stored on a storage medium that also contains said new file version.

1 13. The method of claim 12 wherein said storage medium comprises a RAID storage
2 subsystem.

1 14. The method of claim 10 wherein said transformation operator includes a difference value,
2 said difference value being the difference between a numerical value in the original file version
3 and a numerical value in the new file version.

1 15. The method of claim 10 wherein said transformation operator includes words or binary
2 encoded values that have been deleted from the original file version to produce the new file
3 version.

1 16. The method of claim 15 wherein said transformation operator also includes words or binary
2 encoded values that are present in the new file version but are not present in the original file
3 version.

1 17. A computer system, comprising:
2 a processor;
3 an input device coupled to said processor; and

4 a non-volatile a storage device coupled to said processor, said storage device containing
5 files and containing a transformation operator which is indicative of the differences
6 between a first version of a file and a second version of the file.

1 18. The computer system of claim 17 wherein said transformation operator is stored in a file
2 that is separate from the file containing the second version.

1 19. The computer system of claim 17 wherein said storage device comprises a RAID storage
2 subsystem.

1 20. The computer system of claim 17 wherein said transformation operator includes a
2 difference value, said difference value being the difference between a numerical value in the first
3 file version and a numerical value in the second file version.

1 21. The computer system of claim 17 wherein said transformation operator includes words or
2 binary encoded values that have been deleted from the first file version to produce the second file
3 version.

1 22. The computer system of claim 21 wherein said transformation operator also includes words
2 or binary encoded values that are present in the first file version but are not present in the second
3 file version.

1 23. The computer system of claim 17 wherein said second file version has been changed
2 further into a third file version, and said storage device also contains a second transformation
3 operator which is indicative of the differences between the second file version and the third file
4 version.

1 24. The computer system of claim 17 wherein said second file version has been changed
2 further into a third file version, and said storage device also contains a second transformation
3 operator which is indicative of the differences between the first file version and the third file
4 version.

1 25. A computer system, comprising:
2 a processor; and
3 a non-volatile a storage device coupled to said processor, said storage device containing
4 files, one of said files being a third version and having two prior sequential
5 versions, the earliest version being a first version and a latter version being a second
6 version, and said storage device contains a first transformation operator which is
7 indicative of the differences between the first version and the third version and said
8 storage device contains a second transformation operator which is indicative of the
9 differences between the second version and the third version.

1 26. The computer system of claim 25 wherein said storage device comprises a RAID storage
2 subsystem.

1 27. The computer system of claim 25 wherein said transformation operators include a
2 difference value, said difference value being the difference between a numerical value in one file
3 version and a numerical value in another file version.

1 28. The computer system of claim 25 wherein said transformation operators include words or
2 binary encoded values that have been deleted from one file version to produce another file version.

1 29. The computer system of claim 28 wherein said transformation operators also include words
2 or binary encoded values that are present in one file version but are not present in another file
3 version.